

Action Items from the TF Workshop and the Design Review

Peter Cameron




- Tune all 60Hz
 - LHC magnitude how to measure/determine 10⁻¹¹?
 - balancing need priority with power supply group
 - filtering ideas?

Chrom

- interaction w/ orbit feedback?
- include phase error in correction
- effect of non-linearities at LHC needs evaluation need/can one feed back on higher orders?
- RHIC beam exp
 - effect of chrom on baseband performance
 - chrom feedback at inj
 - non-lin?
 - Bruning method will be ttested at RHIC next week


3D Ramp - 1 Jan 05






Million Turn BPM 1








Effect of Coupling on Spectrum






k = -.0008 k = 0

LARP Collaboration Meeting 6-8 April upper is horiz, lower vert

coupling 60Hz plot





60Hz Conclusions




- 60Hz harmonics **are** on the beam
- Statement of excellent sensitivity of BBQ
- It is at baseband, will show up everywhere in the spectrum we can't escape it
- Required modulation of dipole current at harmonic ~300 is actually pretty small one part in 10¹¹
- High Priority 720Hz balancing circuit
- High Priority the approach to filtering
- pre-beam modeling and testing is essential



- Tune all 60Hz
 - LHC magnitude how to measure/determine 10⁻¹¹?
 - balancing need priority with power supply group
 - filtering ideas?


Chrom

- include phase error in correction
- interaction w/ orbit feedback?
- effect of non-linearities at LHC needs evaluation need/can one feed back on higher orders?
- RHIC beam exp
 - effect of chrom on baseband performance
 - chrom feedback at inj
 - non-lin?
 - Bruning method will be ttested at RHIC next week



non-linear Chrom?







- Tune all 60Hz
 - LHC magnitude how to measure/determine 10⁻¹¹?
 - balancing need priority with power supply group
 - filtering ideas?

Chrom

- include phase error in correction
- interaction w/ orbit feedback?
- effect of non-linearities at LHC needs evaluation need/can one feed back on higher orders?
- RHIC beam exp
 - effect of chrom on baseband performance
 - chrom feedback at inj
 - non-lin?
 - Bruning method will be ttested at RHIC next week



- Coupling
 - beam exp
 - 6 parameter measurement and correction
 - coupling feedback test
 - robust PLL, robust tune feedback
 - additional receivers?

≠3D AFE

- pre-filter & time constant eval at RHIC this run
- DAB board delivery, vXworks,...
- FEC compatability w/ CERN
- Interface to Mgnets and Controls

Design Review Response



- 1. Can the 2005-2008 resource-loaded action plan be validated? Are resources adequate to meet the schedule?
 - Need more detail responsibilities, names, costs,...
 - Present plan relies too heavily on one individual
 - backup plan for RHIC run delay until summer 2006
- 2. Will current design meet tune, chrom, and coupling spec? Is the spec sufficiently detailed and precise?
 - Fully operational baseband feedback system should be implemented in RHIC
 - BBQ is a big step forward, omits need for motion control
 - Coupling adaptive scheme (robust PLL) could address this problem. Algorithms need to be elaborated and tested
 - 60Hz requires attention
- 3. Does the spec adequately address the evolution from low-intensity commissioning to high-luminosity operations?
 - Need data with pilot bunch intensities, if possible
 - Nested feedback loops (tune, chrom, coupling, orbit, damper, LLRF,...) need attention

Design Review Response



- 4. Does the schedule insure high probability that TF will be available when ramping begins? Will TF be needed?
 - Dependent on RHIC testing need higher priority from department management
 - Contingency plan if RHIC Run-6 is delayed.
- 5. Is the Control System interface sufficiently well defined?
 - Switch to LynxOS/FESA may be more difficult than anticipated
 - Very close collaboration with CERN Controls required particularly for May 06 SPS test
 - Remote access encouraged
 - Add data stream for raw time-stamped BBQ data
 - Common software tools for FPGA essential

Design Review Response



- 6. Is the commissioning plan adequate for this stage of the project? Will sufficient resources (manpower) be in place?
 - Dedicated commissioning time essential
 - Need more resources and planning at BNL
- 7. What are the prioritized action items?
 - 60Hz problem
 - need detailed system commissioning plan
 - need adequate design flexibility to cope with unanticipated problems, continually changing commissioning conditions